

# xdc·script 1.1

xdc·script is a general-purpose programming language based upon the ECMA-262 Edition 3 standard – popularly known as JavaScript 1.5. A central element of XDC, the language primarily serves as an implementation vehicle for hosted *meta-content* used to automate integration of companion *target-content* within executable programs tailored for a specific hardware platform and optimized for a specific application environment. XDC also leverages the language to manage the flow of *packages* – standardized containers holding re-usable target content plus its attendant meta-content – between producers and consumers. And of course, the language is readily suited for standalone scripting tasks.

Working in tandem with xdc·spec – a special-purpose language for defining client-visible programmatic features of target- [and meta-] content through **module**, **interface**, and **package** specifications – xdc·script augments standard JavaScript with modular, type-safe, and expressive mechanisms that meld nicely with the familiar style and substance of the C-centric target programming domain. References to terms defined in the xdc·spec grammar are **written-this-way**.

## « Base »

xdc·spec incorporates all core JavaScript 1.5 classes, as defined in the ECMA-262 Edition 3 standard.

Arguments	Error	Number
Array	Function	Object
Boolean	Global	RegEx
Date	Math	String

## « Root »

All xdc·script properties and methods are ultimately rooted in a distinguished (read-only) object referenced by the global identifier `xdc`. This name along with any identifier containing one or more \$'s should be treated as a reserved word.

`xdc`

The distinguished root object.

`xdc.global`

« Base »

The original JavaScript `Global` object.

`xdc.jre`

« Java »

The Java Runtime Environment.

`xdc.csd`

The directory of the script file currently being loaded.

# xdc•script 1.1

`xdc.findFile(fileName)`

Returns a path to `fileName` or else `null` if not found. If `fileName` is an absolute path or else begins with `./`, this path is returned if the file exists. Otherwise, the file is first searched in the `xdc.csdl` directory and then in each directory along the system package path.

`xdc.loadCapsule(fileName)`

[« Capsule »](#)

`xdc.loadTemplate(fileName)`

[« Template »](#)

Loads a capsule (template) from `fileName`, and returns a Capsule (Template) object. Calls `xdc.findFile()` internally, and throws an Error if the capsule (template) is not found.

`xdc.loadPackage(pkgName)`

[« Package »](#)

Loads a package whose `qualified-package-name` is `pkgName`, adds the package to the current Object-Model, and returns a Package object. Throws an Error if the package is not found along the system package path.

`xdc.om`

[« Object-Model »](#)

The current Object-Model – *program-config, package-build, standalone-scripting*, etc.

`xdc.useModule(modName)`

[« Module »](#)

Declares usage of a module whose `qualified-unit-name` is `modName`, and returns a Module object. If `modName` is not qualified with a package name, `xdc.om.$homepkg` is presumed. Calls `loadPackage()` if needed. Throws an Error if the module is not found.

`xdc.usePackage(pkgName)`

[« Package »](#)

Declares usage of all modules in the package `pkgName`, and returns a Package object. Calls `useModule()`.

## « Java »

`xdc`-spec supports connectivity to all classes in the current Java Runtime Environment (JRE). Public fields and functions of static class objects as well as newly constructed class instance objects can be accessed.

# xdc•script 1.1

```
xdc.jre.javaClass.staticField =  
xdc.jre.javaClass.staticFxn()  
  
var jobj = new xdc.jre.javaClass()  
  
jobj.field =  
jobj.fxn()
```

## « Capsule »

A fundamental unit of implementation. Each capsule exposes a set of public variables and functions to its client.

```
var Cap = xdc.loadCapsule(fileName)  
  
Cap.publicVar =  
Cap.publicFxn()
```

## « Capsule-Body »

Contains top-level definitions of public and private variables/functions. Also contains top-level statements executed exactly *once* – on first call to `loadCapsule()` naming this file.

```
var publicVar =  
var _privateVar =  
  
function publicFxn( ... ) { ... }  
function _privateFxn( ... ) { ... }  
  
stmt ...
```

## « Template »

A synthesized function that encapsulates a prescribed pattern for generating formatted output. Clients invoke templates with specific arguments and designate a sink for all generated output

```
var Tplt = xdc.loadTemplate(fileName)  
  
Tplt.genFile(fileName, thisObj, args, clobber)
```

Generates output to `fileName`, which is created if necessary. Unless `clobber` is `true`, an existing file is overwritten only when its content has truly changed. Internally calls `genStream()`.

# xdc•script 1.1

```
Tplt.genStream(outStream, thisObj, args)
```

Generates output to `outStream`, an instance of class `java.io.OutStream`. All three parameters are passed to the underlying template generation function.

## « Template-Body »

Contains lines of text that the synthesized function automatically outputs when invoked. Also contains lines of script to be inserted into the synthesized function. Interpolated script can reference any object in the current environment – with `$out`, `this`, and `$args` bound to parameters of `genStream()`.

```
text`script`text ... \n
```

A line of text to be output by the synthesized function at this point. All interpolated script is replaced with its (textual) value in the current context.

```
% script ... \n
```

A single line of script to be inserted into the synthesized function at this point.

```
%%{ \n    stmt ... \n    stmt ... \n} \n
```

Multiple lines of script to be inserted into the synthesized function at this point.

## « Package »

Reflects a **package-specification**. A read-only container for Capsule, Template, Interface, and Module objects. Each package is also an element of the current Object-Model.

```
var pkg = somePkgObject
```

```
pkg.Interface
```

« Interface »

A particular interface contained within this package.

```
pkg.Module
```

« Module »

A particular module contained within this package.

```
pkg.Package
```

« Module »

A distinguished module associated with this package which implements the `xdc.IPackage` interface. Its `init()` function is invoked *once* – on the first call to `xdc.loadPackage()` naming this package.

```
pkg.$interfaces
```

« Interface »

An array of all interfaces within this package.

# xdc•script 1.1

`pkg.$modules` « Module »

An array of all modules within this package.

`pkg.$name`

The **qualified-package-name** of this package.

## « Object-Model »

A specialized execution context for scripts which comprises a model-dependent prologue and epilogue. May also introduce global variables representing "anchor points" within the model as well as codify **metaonly** interfaces to be implemented by constituent packages.

`xdc.om.$homepkg`

A model-specific home package. Unless **undefined**, `xdc.useModule()` resolves unqualified module names within this package.

`xdc.om.$name`

The name of the current model.

`xdc.om[pkgnane]`

« Package »

The package named *pkgnane* within the current model.

`xdc.om.$packages[ ]`

« Package »

An array of all packages within the current model.

## « Interface »

Reflects a **unit-specification** for an **interface**.

`var Inter = someInterObj`

`Inter.CONST_NAME`

« Typed-Value »

A scalar value of the type specified in a **const** definition.

`Inter.ENUMVAL_NAME`

« Typed-Value »

A scalar value of the type specified in an **enum** definition.

`Inter.EXTERN_NAME`

« Typed-Value »

A scalar value of the type specified in an **extern** definition.

`new Inter.StructName`

« Struct »

A pointer to an aggregate of the type specified in a **struct** definition.

`Inter.Module(someModObj)`

« Module »

Casts a Module object to the **Module** handle type of this interface. Returns **null** if incompatible.

# xdc•script 1.1

Inter.Instance( <i>someInstObj</i> )	« Instance »
Casts an Instance object to the <b>Instance</b> handle type of this interface. Returns <b>null</b> if incompatible.	
Inter.\$name	
The <b>qualified-unit-name</b> of this interface.	
Inter.\$package	« Package »
The Package object which contains this unit.	
Inter.\$super	« Interface »
An interface object corresponding to the <b>inherited-interface</b> for this interface, or <b>null</b> if not specified.	

## « Module »

Reflects a **unit-specification** and its **module-wide-feature(s)**

<b>var</b> Mod = <i>someModObj</i>	« Typed-Object »
Mod.CONST_NAME	« Typed-Value »
A scalar value of the type specified in a <b>const</b> definition.	
Mod.ENUMVAL_NAME	« Typed-Value »
A scalar value of the type specified in an <b>enum</b> definition.	
Mod.EXTERN_NAME	« Typed-Value »
A scalar value of the type specified in an <b>extern</b> definition.	
<b>new</b> Mod.StructName	« Struct »
A pointer to an aggregate of the type specified in a <b>struct</b> definition.	
Mod.configName =	« Typed-Operation »
A property of the type specified in a <b>config-parameter</b> definition. Assignable, unless <b>readonly</b> in the specification.	
Mod.ExnName( ... )	« Typed-Operation »
A method whose signature is specified in a <b>function-declaration</b> .	
Mod.create( <i>createParams</i> )	« Instance »
A special method that returns a new Instance object managed by this unit.	
Mod.Module( <i>someModObj</i> )	« Module »
Casts a Module object to the <b>Module</b> handle type of this module. Returns <b>null</b> if incompatible.	

# xdc•script 1.1

Mod.Instance( <i>someInstObj</i> )	« Instance »
Casts an Instance object to the <b>Instance</b> handle type of this module. Returns <b>null</b> if incompatible.	
Mod.\$instances[ ]	« Instance »
An array of Instance objects managed by this module.	
Mod.\$name	
The <b>qualified-unit-name</b> of this module.	
Mod.\$package	« Package »
The Package object which contains this module.	
Mod.\$private	
A private object used by capsules implementing module-wide functions specified for this module.	
Mod.\$super	« Mod »
A Module object of the <b>Module</b> type designated in the <b>inherited-interface</b> for this module, or <b>null</b> if not specified.	
Mod.\$used	
<b>true</b> if this module has been named in a call to <code>xdc.useModule</code> , <b>false</b> otherwise.	

## « Instance »

Reflects per-instance-feature(s) of a unit-specification.

<b>var</b> inst = <i>someInstObj</i>	« Typed-Object »
inst.configName =	« Typed-Operation »
A property of the type specified in a config-parameter definition. Assignable, unless <b>readonly</b> in the specification.	
inst.fxnName( ... )	« Typed-Operation »
A method whose signature is specified in a function-declaration.	
inst.\$index	
A serial number assigned when created by its managing module.	
inst.\$module	« Module »
The Module object that manages this instance.	
inst.\$package	« Package »
The Package object which contains the module that manages this instance.	

# xdc·script 1.1

```
inst.$private
```

A private object used by capsules implementing per-instance functions specified for the module managing this instance.

```
inst.$super
```

« Instance »

An Instance object of the **Instance** type designated in the **inherited-interface** for the module managing this instance, or **null** if not specified.

## « Module-Body »

A capsule that implements all (inherited) module-wide and per-instance **metaonly** functions declared in a module's **unit-specification**. These capsule files are named *UnitName.xs* and reside in the base directory of the containing package. A special capsule named **package.xs** implements the (module-wide) functions specified in the **xdc.IPackage** interface.

```
function fxnName(arg ...) {
    this.$private = ...
    return expr
}
```

« Typed-Assignment »

Implement a module-wide or per-instance function specified for this module. **this** references the corresponding Module or Instance object, whose **\$private** state is manipulated in this capsule. Typed-Assignment rules are enforced upon function entry and exit.

```
function instance$init(createParams) {
    this.$private = ...
}
```

« Typed-Assignment »

A distinguished function called upon creating a new Instance object, to which **this** is bound. Typically used to initialize the **\$private** state for this Instance.

## « Struct »

An aggregate of the type specified in a **struct** definition. Comprises a fixed number of values of different types, selected by name. A constrained variant of a JavaScript object.

```
var str = someStructObj
```

« Typed-Object »

```
str.fieldName =
```

An assignable property of the type designated in a **struct-field** definition.

## « Vector »

An aggregate that comprises an expandable ordered set of values of some common base type, indexed by non-negative integers. A constrained variant of a JavaScript array.

# xdc•script 1.1

`var vec = someVectorObj` « Typed Object »

`vec.length =`  
Gets or sets the number of values in this vector.

`vec[number] =` « Typed-Operation »  
Gets or sets an element of this vector whose index is in the range `0..length-1`.

## « Map »

An aggregate that comprises an expandable ordered set of values of some common base type, indexed by strings as well as non-negative integers. A constrained hybrid of a JavaScript object and array.

`var map = someMapObj` « Typed-Object »

`map.length`  
Gets the number of values in this map.

`map[number] =` « Typed-Operation »  
Gets or sets an element of this map whose index is in the range `0..length-1`.

`map[string] =` « Typed-Operation »  
Gets or sets a map element given a string-value key. Returns `undefined` if the designated element does not exist. Assigning `undefined` removes the designated element from this map and decrements `length`.

## « Typed-Object »

Common properties and methods shared by Module, Instance, Struct, Vector, and Map objects. These objects also belong to a *specified type* ultimately defined within a [unit-specification](#).

`tobj.$copy()` « Typed-Object »  
Returns a deep-copy of this object, leaving references intact (Struct, Vector, Map only)

`tobj.$seal()`  
Renders this object (and all typed objects embedded within) read-only.

`tobj.$sealed`  
`true` if this object has been sealed.

`tobj.$self` « Typed-Object »  
This object. Useful for bulk assignment when `tobj` is a JavaScript variable.

`tobj.$type`  
A string representation of a [typed-declaration](#) for this object.

# xdc•script 1.1

## « Typed-Operation »

Each category of Typed-Object defines selectors for getting and setting constituent values of some specified type. Unit and Instance objects additionally define callable functions with parameter and return values of some specified type.

`tobj.ident →` « Typed-Value »  
`tobj[number] →` « Typed-Value »  
`tobj[string] →` « Typed-Value »

Get a value of a specified type

`tobj.ident ← expr` « Typed-Assignment »  
`tobj[number] ← expr` « Typed-Assignment »  
`tobj[string] ← expr` « Typed-Assignment »

Set a value of a specified type. `expr` must yield an assignment-compatible value.

`tobj.fxn(arg ...) →` « Typed-Value »  
`arg ← expr` « Typed-Assignment »  
`return ← expr` « Typed-Assignment »

Call a function of a specified type. Assignment-compatibility is enforced for each `expr` passed as a function argument and for the value returned from within the function body.

## « Typed-Value »

All values belong to either *standard types* supported in the base language or else to *specified types* ultimately defined within some **unit-specification**. Each is identified by a characteristic syntactic pattern comprising type-constructors of the form `T<...>` to denote a particular type as well as type-variables `t` that range over any of these patterns.

`T<int> T<float>...` « Base »  
`T<boolean>` « Base »  
`T<string>` « Base »

Standard scalar types with JavaScript number, boolean, or string values.

`T<{ p: t ... }>` « Base »  
`T<[ t ... ]>` « Base »

Standard aggregate types with JavaScript objects or arrays as values

`T<null>` « Base »  
`T<undefined>` « Base »

Standard singleton types with `null` or `undefined` as their only values.

# xdc•script 1.1

$T<\text{struct } S>$	« Struct »
$T<\text{struct } S^*>$	« Struct »
Specified types with Struct objects or Struct pointers for values, the latter mimicing a JavaScript object reference. The name $S$ comes from a corresponding <b>struct</b> definition.	
$T<t[\text{length}]>$	« Vector »
$T<t[\text{string}]>$	« Map »
Specified types whose values are Vector or Map objects.	
$T<U.\text{Module}>$	« Module »
$T<U.\text{Instance}>$	« Instance »
Specified types whose values are opaque handles for Module or Instance objects. The name $U$ comes from a corresponding <b>unit-specification</b> .	
$T<\text{void}^*>$	
$T<t^*>$	Specified types whose values connote target program addresses.
$T<\text{any}>$	A universal type that subsumes all possible standard and specified types.

## « Typed-Assignment »

Rules for assignment compatibility.

$t\text{-LValue} \quad \leftarrow t\text{-RValue}$

Typed-Assignment pattern expressed in terms of LValue and RValue types. Enforced when assigning a specified selector, binding specified function arguments, and executing a **return** statement from within a specified function.

$t \quad \leftarrow t$

$t \quad \leftarrow T<\text{undefined}>$

$T<\text{any}> \quad \leftarrow t$

Identical types are assignment compatible; any type can be assigned **undefined**; and any type of RValue can be assigned to an LValue specified **any**.

$T<\text{struct } S> \quad \leftarrow T<\text{struct } S>$

$T<\text{struct } S^*> \quad \leftarrow T<\text{struct } S^*>$

Struct objects based on a common definition are assigned field-wise using the rules of Typed-Assignment – that is, *by value*. Struct pointers are assigned to one another without getting or setting any constituent fields of the underlying object – that is, *by reference*.

# xdc•script 1.1

$T<\text{struct } S> \leftarrow T<\text{struct } S^*>$   
 $T<\text{struct } S^*> \leftarrow T<\text{struct } S>$

Field-wise assignment involving a mixture of Struct objects and pointers. Implicitly gets or sets all fields of the underlying object referenced through a Struct pointer.

$T<\text{struct } S> \leftarrow T<\{ \text{fld: } t\text{-fld} \dots \}>$   
 $T<\text{struct } S^*> \leftarrow T<\{ \text{fld: } t\text{-fld} \dots \}>$

Assignment from a standard JavaScript object. Named properties of the latter corresponding to fields specified in the definition of  $S$  are assigned using the rules of Typed-Assignment. Each  $t\text{-fld}$  must be assignment-compatible with the type of  $S.\text{fld}$ .

$T<t[\text{length}]> \leftarrow T<t'[\text{length}]>$   
 $T<t[\text{string}]> \leftarrow T<t'[\text{string}]>$

Vectors and Maps are assigned by value, by effectively removing all elements from the destination object and then performing an element-wise Typed-Assignment from the source object. The element types  $t$  and  $t'$  must be assignment-compatible.

$T<t[\text{length}]> \leftarrow T<[ t\text{-elem} \dots ]>$   
 $T<t[\text{string}]> \leftarrow T<[ [ T<\text{string}>, t\text{-elem} ] \dots ]>$

Assignment to Vectors or Maps from a standard JavaScript array. Elements of the destination object are replaced (in order) by elements in the source array. Each  $t\text{-elem}$  must be assignment-compatible with the base type  $t$ .

$T<U.\text{Module}> \leftarrow T<U'.\text{Module}>$   
 $T<U.\text{Instance}> \leftarrow T<U'.\text{Instance}>$

Assignment of opaque references to Module or Instance objects. The **unit-specification**(s) for  $U$  and  $U'$  are either the same, or else the former must directly/indirectly inherit from the latter.

$T<U.\text{Module}> \leftarrow T<\{ cfg: t\text{-cfg} \dots \}>$   
 $T<U.\text{Instance}> \leftarrow T<\{ cfg: t\text{-cfg} \dots \}>$

Assignment from a standard JavaScript object. Named properties of the latter corresponding to module-wide or per-instance configs specified in the definition of  $U$  are assigned using the rules of Typed-Assignment. Each  $t\text{-cfg}$  must be assignment-compatible with the type of  $U.cfg$ .

$T<\text{void}^*> \leftarrow T<\text{struct } S>$   
 $T<\text{void}^*> \leftarrow T<\text{struct } S^*>$   
 $T<\text{void}^*> \leftarrow T<t^*>$

Assignment to **void**\* covers Struct objects/pointers plus arbitrary target addresses.

# xdc•script 1.1

```
T<struct S*> ← T<null>
T<U.Module> ← T<null>
T<U.Instance> ← T<null>
```

Assignment of **null** limited to Struct pointers, target addresses, and Module/Instance handles.